Hydrobiologia **378**, v–vii, 1998.
R.M. O'Riordan, G.M. Burnell, M.S. Davies & N.F. Ramsay (eds), Aspects of Littorinid Biology.

Contents

Preface ..... ix–x

Photograph and list of participants xi

Genetic variability in *Littorina saxatilis* from different habitats on an island in Galway Bay
by I. F. Wilson & E. M. Gosling 1–10

Electrophoretic heterogeneity within and between flat periwinkles (Mollusca: Gastropoda) along an intertidal transect at Ria Ferrol, northwest Spain
by C. Olabarria, J.-M. Timmermans & T. Backeljau 11–19

A preliminary study on genetic differentiation in *Littorina saxatilis* from Galway Bay, Ireland: *Littorina tenebrosa* Montagu – a valid species or ecotype?
by E. M. Gosling, I. F. Wilson & J. Andrews 21–25

Lack of significant esterase and myoglobin differentiation in the periwinkle, *Littorina striata* (Gastropoda, Prosobranchia)
by H. De Wolf, T. Backeljau & R. Verhagen 27–32

A comparison of different protocols for RAPD analysis of *Littorina*
by N. Mikhailova & K. Johannesson 33–42

Radular myoglobin and protein variation within and among some littorinid species (Mollusca: Gastropoda)
by R. Medeiros, L. Serpa, C. Brito, H. De Wolf, K. Jordaens, B. Winnepenninckx & T. Backeljau 43–51

Allozyme variation and behavioural dimorphism among populations of *Littorina brevicula* (Philippi) from Japan
by N. I. Zaslavskaya & Y. Takada 53–57

Sexual selection and assortative mating by size and their roles in the maintenance of a polymorphism in Swedish *Littorina saxatilis* populations
by J. Erlandsson & E. Rolán-Alvarez 59–69

Rough periwinkle polymorphism on the east coast of Yorkshire: comparison of RAPD-DNA data with morphotype
by C. S. Wilding, J. Grahame & P. J. Mill 71–78

Assortative mating between two distinct micro-allopatric populations of *Littorina saxatilis* (Olivi) on the northeast coast of England
by S. L. Hull 79–88

Natural selection on a vertical environmental gradient in *Littorina saxatilis*: analysis of fecundity
by R. Cruz., E. Rolán-Alvarez & C. Garcia 89–94

Effects of habitat on growth and shape of contrasting phenotypes of *Bembicium vittatum* Philippi in the Houtman Abrolhos Islands, Western Australia
by M. S. Johnson & R. Black 95–103
Increasing precision in randomised field experiments: barnacle microtopography as a predictor of *Littorina* abundance
by E. G. Boulding & F. M. Harper 105–114
Temporal variation in parasite loading in relation to life history patterns of *Littorina obtusata* and *L. fabalis*
by G. A. Williams & T. J. Brailsford 115–127
Gills and size in some small *Littorina*
by D. H. Black, J. Grahame & P.J. Mill 129–132
A hot summer, cold winters, and the geographical limit of *Trochocochlea lineata* in Somerset
by J. H. Crothers 133–141
Density and shell-size variation of *Nodilittorina lineolata* (Orbigny, 1840) in the intertidal region in southeastern Brazil
by C. A. De Magalhães 143–148
Spawning periodicity of three species of *Nodilittorina* in Hong Kong
by Y. M. Mak 149–160
What to do when there is nothing to do: the ecology of Jamaican intertidal Littorinidae (Gastropoda: Prosobranchia) in repose
by R. C. Lang, J. C. Britton & T. Metz 161–185
Seasonal variation in soluble uric acid concentration in *Littorina saxatilis* (Olivi)
by D. C. Smith & T. P. Smith 187–191
Intersex and *Littorina littorea* in Cork Harbour: results of a medium-term monitoring programme
by J. D. Casey, S. De Grave & G. M. Burnell 193–197
Imposex in *Nucella lapillus* and intersex in *Littorina littorea*: interspecific comparison of two TBT-induced effects and their geographical uniformity
by J. Oehlmann, B. Bauer, D. Minchin, U. Schulte-Oehlmann, P. Fioroni & B. Markert 199–213
Toxico-kinetic and -dynamic aspects of TBT-induced imposex in *Hydrobia ulvae* compared with intersex in *Littorina littorea* (Gastropoda, Prosobranchia)
by U. Schulte-Oehlmann, J. Oehlmann, B. Bauer, P. Fioroni & U.-S. Leffler 215–225
Ultrastructure of prostate gland tissue in males and females with intersex phenomena of *Littorina littorea* L.
by G. Sundermann, B. Bauer & J. Oehlmann 227–233

Short Communications

Diet in *Littoraria*
by J. T. Christensen 235–236
A novel method to assess the cercariae emission intensity of littorinid populations
by A. J. Knowles & M. S. Davies 237–239

Additional records of rough periwinkles in northwest Scotland
by D. C. Smith 241–242

Epilogue
by M. S. Davies & G. A. Williams 243–246

Index 247-248